

# Poster

<b>P01</b>	<b>Optimized Radial Coded Mask for Extended Depth-of-Field Lensless Imaging</b> José Reinaldo Cunha Santos A. V. Silva Neto, Tomoya Nakamura, Yasushi Makihara, and Yasushi Yagi <i>Osaka University</i> .....45
<b>P02</b>	<b>Multi-stage coded aperture for compressed super-resolution lensless imaging</b> Reina Kato <sup>1</sup> , Tomoya Nakamura <sup>1</sup> , Kazuya Iwata <sup>1,2</sup> , Yasushi Makihara <sup>1</sup> , and Yasushi Yagi <sup>1</sup> <sup>1</sup> <i>Osaka University</i> , <sup>2</sup> <i>Kyoto University</i> .....46
<b>P03</b>	<b>Holographic frame interpolation for high-frame-rate holographic video using stochastic gradient descent</b> Dae-Youl Park, and Keehoon Hong <i>Electronics and Telecommunications Research Institute</i> .....47
<b>P04</b>	<b>Simulation of Light Field Camera using Micro Alvarez Lens array</b> Gyu-Chan Han, and Jae-Hyeung Park <i>Inha University</i> .....48
<b>P05</b>	<b>Depth Regularization and Diffraction Grating-Based Super-Resolution in Indirect Time-of-Flight Imaging</b> Hodaka Kawachi <sup>1</sup> , Tomoya Nakamura <sup>1</sup> , Kazuya Iwata <sup>1,2</sup> , Yasushi Makihara <sup>1</sup> , and Yasushi Yagi <sup>1</sup> <sup>1</sup> <i>Osaka University</i> , <sup>2</sup> <i>Kyoto University</i> .....49
<b>P06</b>	<b>End-to-end optimization of coded illumination and reconstruction networks for super-resolution human-silhouette imaging</b> Shunsuke Sakoda, Tomoya Nakamura, Yasushi Makihara, and Yasushi Yagi <i>Osaka University</i> .....49
<b>P07</b>	<b>Speckle reduction using carrier wave optimization of single sideband-encoded computer-generated holograms without contents dependency</b> Kyosik Min, Dabin Min, and Jae-Hyeung Park <i>Inha University</i> .....50
<b>P08</b>	<b>A near eye display based on a pinhole array with multiple retinal projections</b> Hyeontaek Lee, and Hee-Jin Choi <i>Sejong University</i> .....51
<b>P09</b>	<b>Novel magneto-optical effect exhibited by Al-doped 4H-SiC</b> Haoze Du <sup>1</sup> , Takuya Kadowaki <sup>2</sup> , Naoya Tate <sup>1</sup> , Tadashi Kawazoe <sup>2</sup> , Yuji Oki <sup>1</sup> , Motoichi Ohtsu <sup>3</sup> , Kenshi Hayashi <sup>1</sup> <sup>1</sup> <i>Kyushu University</i> , <sup>2</sup> <i>Nichia Corporation</i> , <sup>3</sup> <i>Research Origin for Dressed Photon</i> .....52

<b>P10</b>	<p><b>Numerical simulation on phase-to-intensity conversion by self-referential holographic deep neural network</b></p> <p>Rio Tomioka, and Masanori Takabayashi <i>Kyushu Institute of Technology</i> .....54</p>
<b>P11</b>	<p><b>Slim Maxwellian Near-eye Display Using Pinlight Array for Virtual Reality</b></p> <p>Minseong Kim, and Jae-Hyeung Park <i>Inha University</i> .....55</p>
<b>P12</b>	<p><b>Binary Amplitude Modulation-based Complex Holographic Display</b></p> <p>Youngrok Kim, Wonseok Son, and Sung-Wook Min <i>Kyung Hee University</i> .....56</p>
<b>P13</b>	<p><b>Deep neural network-based complex amplitude reconstruction from spatial-domain phase shifting digital holograms</b></p> <p>Shu Kajitani, and Masanori Takabayashi <i>Kyushu Institute of Technology</i> .....57</p>
<b>P14</b>	<p><b>Design of effective quantum dot networks for application to reservoir computing</b></p> <p>Kazuki Yamanouchi, Suguru Shimomura, and Jun Tanida <i>Osaka University</i> .....58</p>
<b>P15</b>	<p><b>Phase Loss Measurement of Iterative Calibration using a Physically Observed Hologram</b></p> <p>Chihyun In, Youngrok Kim, and Sung-Wook Min <i>Kyung Hee University</i> .....59</p>
<b>P16</b>	<p><b>Time multiplexing multi-view display using slit mirror array and light emitting diode illuminated digital micromirror device</b></p> <p>Sahar Kheibarihafshejani, and Jae-Hyeung Park <i>Inha University</i> .....60</p>
<b>P17</b>	<p><b>Generating perfect optical vortex using only phase modulation by spatial light modulator</b></p> <p>Yuto Nakamura, Takashi Kakue, Ken Morita, Tomoyoshi Shimobaba, and Tomoyoshi Ito <i>Chiba University</i> .....61</p>
<b>P18</b>	<p><b>Aerial Prompter Using AIRR That Allows the Performer and Audience to See the Script from Two Directions at the Same Time</b></p> <p>Daichi Tasaki<sup>1</sup>, Hinako Nobori<sup>2</sup>, Nobuyuki Kohara<sup>3</sup>, Kengo Iwabuchi<sup>4</sup>, Maori Kobayashi<sup>2</sup>, Suguru Shimomura<sup>4</sup>, Ryosuke Ichikawa<sup>1</sup>, Takeru Nishiyama<sup>1</sup>, Shin Hara<sup>1</sup>, Shiro Suyama<sup>1</sup>, Shigeru Itou<sup>2</sup>, Fumi Nakayama<sup>2</sup>, Jun Tanida<sup>4</sup>, Hirotsugu Yamamoto<sup>1</sup> <sup>1</sup>Utsunomiya University, <sup>2</sup>Kobe University, <sup>3</sup>Playwright, <sup>4</sup>Osaka University. ....62</p>

<b>P19</b>	<b>Computer-generated Hologram Algorithm to Expand Eyebow in the Waveguide Type Near-Eye Display</b> Sehyeon Jeong, Sehwan Na, Sangyoon Kim, and Hwi kim <i>Korea University</i> .....63
<b>P20</b>	<b>Variable-depth Computer Generated Holograms Algorithm in Curved Holographic Waveguide Display</b> Sehwan Na, Sangyoon Kim, and Hwi Kim <i>Korea University</i> .....64
<b>P21</b>	<b>Double-sided Formation of Aerial Images Using AIRR With Slit-Shaped Retro-reflectors</b> Takeru Nishiyama, Kazuaki Takiyama, Shiro Suyama, and Hirotsugu Yamamoto <i>Utsunomiya University</i> .....65
<b>P22</b>	<b>Concave-Shaped Aerial Image Formed by Use of Curved Beam Splitter in AIRR</b> Mayu Adachi, Shiro Suyama, and Hirotsugu Yamamoto <i>Utsunomiya University</i> .....66
<b>P23</b>	<b>Heuristic Optimal Design of Diffractive Waveguide for AR Display with Metasurface</b> Youngsub Kim, Yoengjin Jeon, Sangyoon Kim, and Hwi Kim <i>Korea University</i> .....67
<b>P24</b>	<b>Fourier Ptychographic Algorithm Based on Stochastic Gradient Descent Method for Optimal Synthesis of Computer-generated Holograms</b> Myeonggyu Choi, and Hwi Kim <i>Korea University</i> .....68
<b>P25</b>	<b>AIRR Optics Combined with an Inclined Plane Mirror for Extended Floating Distance</b> Kazuaki Takiyama, Shiro Suyama, and Hitotsugu Yamamoto <i>Utsunomiya University</i> .....69
<b>P26</b>	<b>Multiplexed Data-Page Acquisition with Spiral Phase in Computer-Generated Holographic Data Storage</b> Takaki Yamamoto, Yusuke Saita, and Takanori Nomura <i>Wakayama University</i> .....70
<b>P27</b>	<b>Twin Noise Reduction of Optical Reconstruction with Phase-only SLM</b> Gunhee Lee, Minwoo Jung, and Joonku Hahn <i>Kyungpook National University</i> .....71

<b>P28</b>	<b>Beam steering optics for synthetic aperture digital holographic microscopy based on DMD and MLA</b> Minwoo Jung <sup>1</sup> , Hosung Jeon <sup>1</sup> , Gunhee Lee <sup>1</sup> , Yongjun Lim <sup>2</sup> , and Joonku Hahn <sup>1</sup> <sup>1</sup> <i>Kyungpook National University</i> , <sup>2</sup> <i>Electronics and Telecommunications Research Institute..</i> .....72
<b>P29</b>	<b>Experimental Verification of Volume Holographic Video Method Based on Peristrophic Multiplexing</b> Shogo Matsukawa, Yusuke Saita, and Takanori Nomura <i>Wakayama University</i> .....73
<b>P30</b>	<b>Single-Pixel Imaging of AC Magnetic Field</b> Reiji Okawa, Yuta Takizawa, Shuji Taue, and Yukinobu Hoshino <i>Kochi University of Technology</i> .....74
<b>P31</b>	<b>Optical aberration correction for holographic head-up display by using camera-projector calibration</b> Younghun Kim, and Hoonjong Kang <i>Wonkwang University</i> .....75
<b>P32</b>	<b>Deep-Learning-Assisted Gesture Recognition by Single-Pixel-Imaging Using RGB Apparent Image with Latent Random Pattern</b> Hiroki Takatsuka <sup>1</sup> , Masaki Yasugi <sup>1,2</sup> , Shiro Suyama <sup>1</sup> , and Hirotsugu Yamamoto <sup>1</sup> <sup>1</sup> <i>Utsunomiya University</i> , <sup>2</sup> <i>Fukui Prefectural University</i> .....76
<b>P33</b>	<b>Multi-wavelength-based Michelson-type digital holographic microscope</b> H. Shim <sup>1</sup> , S. Lim <sup>1</sup> , S. Shin <sup>2</sup> , and S. Yoon <sup>1</sup> <sup>1</sup> <i>Korea Photonics Technology Institute</i> , <sup>2</sup> <i>ParanTek</i> .....77